

## Entertainment discharge lamps

### MSR Entertainment - High-efficiency cold strike metal halide lamps

- Run-up time 2 minutes
- Restrike time 5 - 10 minutes, depending on cooling conditions

#### Application

- Studios and discos

Part Number	Type	Watt	Base	Package (pcs/pack)
127411	MSR575/2	575	GX9.5	4



### MSR Hot Restrike

- Run-up time 2 minutes
- Restrike time 5 - 10 minutes, depending on cooling conditions

#### Application

- Studios and discos

Part Number	Type	Watt	Base	Package (pcs/pack)
127422	MSR 575 HR	575	G22	4



### MSI Entertainment - High-efficiency metal halide lamps

High-efficiency metal halide lamps with sure-grip end knobs with cup springs and a special heatresistant bond between the bulb and the caps.

- High luminous efficacy
- Compact arc
- Good colour rendering
- Run-up time 3 minutes

#### Application

- Indoor and outdoor colour television
- Indoor and outdoor filming
- Theatre stages
- Overhead projectors
- Disco lighting
- Outdoor architectural lighting

Part Number	Type	Watt	Base	Package (pcs/pack)
127433	MSI1200	1200	SFC15.5-6	1
127444	MSI1800HR	1800	SFC18.5-6	1
127455	MSI2500	2500	SFA21-12	1



## Entertainment discharge lamps

### MSA Architectural - Compact high-pressure metal halide lamps

- Compact arc
- Optimum light collection efficiency
- Universal burning position

#### Application

- Dynamic architectural lighting

Part Number	Type	Watt	Base	Package (pcs/pack)
127466	MSA2500DE	2500	(P)SFC	1



### CDM-SA/T Architectural - Compact discharge lamps with quartz bulb

- High beam intensities thanks to the short arc, axially mounted discharge arc and compact lamp dimensions
- Sparkling light for fresh white colour impression
- Stable colour over lifetime
- Excellent colour rendering
- Low operating costs through high lamp efficacy
- Long life compared with halogen lamps
- Low heat output increases personal comfort
- UV block reduces risk of fading

#### Application

- Advertising/text projection
- Fibre optics
- Decorative outdoor, architectural lighting
- Shops and shop windows

Part Number	Type	Watt	Base	Package (pcs/pack)
127477	CDM-SAT150W/942	150	G12	12



### MSD Architectural - Compact high-pressure metal halide lamps

- Long lifetime
- Compact arc
- Excellent colour characteristics
- Universal burning position

#### Application

- Display lighting
- Architectural lighting
- Studio and disco lighting
- Fibre-optic lighting

Part Number	Type	Watt	Base	Package (pcs/pack)
127488	MSD250	250	GY9.5	4



## "Broadway" halogen lamps

### Dichroic Disco - Low-voltage halogen dichroic lamp

- Colour temperature: 3100 K
- Very compact filament enabling high efficiency
- Optimum between light and life
- Even light distribution over the entire beam
- Universal burning position

#### Application

- Discos
- Moving beam luminaires

Part Number	Type	Watt	Volt	Base	Package (pcs/pack)
127499	13289	50	13,8	GX5.3	50
127510	6423/5H	150	15	GZ6.35	50



### Compact Source SE-Quartz halogen lamps with compact biplane filament

- Reduced energy consumption allows more luminaires to be operated on each dimmer
- P3 technology for Reliability, Quality and Freedom

#### Application

- Studio, stage and entertainment lighting

Part Number	Type	Watt	Volt	Base	Bulb finish	Package (pcs/pack)
127521	6986P	600	240	G9.5	clear	10
127532	6982P	800	230	G9.5	clear	10



### Film/Studio SE 230V - MV halogen lamps with different filament shapes

- High lumen output
- All lamps have a correlated colour temperature of 3200K
- P3 technology for Reliability, Quality and Freedom

#### Application

- Studio and film lighting
- Disco lighting
- Theatre lighting

Part Number	Type	Watt	Base	Filament shape/ Bulb finish	Package (pcs/pack)
127543	6872P/220V	300	GY9.5	clear	10
127554	6873P	500	GY9.5	M-shape/clear	10
127565	7389	500	GY9.5	Bi-Plane/clear	10
127576	6638P	650	GY9.5	Bi-Plane/clear	10
127587	6993P/220V	650	GX9.5	Bi-Plane/clear	10
127598	6983P	1000	G9.5	Coiled Coil/clear	10
127609	6984P	1000	GX9.5	Bi-Plane/reflector	10
127620	6995P	1000	GX9.5	Bi-Plane/clear	10
127631	6995Z	1000	G22	Bi-Plane/clear	10



(continue to next page)

## "Broadway" halogen lamps

### Film/Studio SE 230V - MV halogen lamps with different filament shapes (continue from previous page)

Part Number	Type	Watt	Base	Filament shape/ Bulb finish	Package (pcs/pack)
127642	7002Y	1000	G22	Bi-Plane/clear	10
127653	6895P	1200	GX9.5	Bi-Plane/clear	10
127664	6975Z	2000	G22	Bi-Plane/clear	10
127675	6994P	2000	GY16	Bi-Plane/clear	10
127686	6894Y	2500	G22	Bi-Plane/clear	10



### Film/Studio DE - Double-ended mains-voltage halogen lamps

- Colour temperature 3200K

#### Application

- Studio and film lighting
- Disco lighting
- Theatre lighting

Part Number	Type	Watt	Volt	Base	Bulb finish	Package (pcs/pack)
127697	7775R/16	625	230	R7s	frosted	10
127708	13162R	800	230	R7s	clear	50
127719	13477R	800	240	R7s	clear	10
127730	13704R	1000	230	R7s	clear	50
127741	7786R	1000	230	R7s	clear	10



### HPL & SE-Barrel-shape filament lamps

- Reduced energy consumption allows more luminaires to be operated on each dimmer
- P3 technology for Reliability, Quality and Freedom

#### Application

- Studio, stage and entertainment lighting

Part Number	Type	Watt	Volt	Base	Bulb finish	Package (pcs/pack)
127752	7007/575W	575	115	Heat-Shink	clear	10
127763	7007/LL/575W	575	115	Heat-Shink	clear	10



## "Broadway" halogen lamps


### Theater SE 230V - Single-ended quartz halogen lamps

- Staggered filament construction emits up to 25% more light from the focal point of the optical system, depending on the type of luminaire
- Designed for use in luminaires where longer life is of greater importance
- P3 technology for Reliability, Quality and Freedom

#### Application

- Stage and theatre lighting
- Effect lighting for discos and shows

Part Number	Type	Watt	Base	Filament shape/ Bulb finish	Package (pcs/pack)
127774	6874P	300	GY9.5	M-shape/clear	10
127785	6800C	500	P28s	Bi-Plane/clear	10
127796	6820P	500	GY9.5	M-shape/clear	10
127807	6877P	500	GY9.5	M-shape/clear	10
127818	6823P	650	GY9.5	M-shape/clear	10
127829	6998C	650	P28s	Bi-Plane/clear	10
127840	6998P	650	GX9.5	Bi-Plane/clear	10
127851	6996P	1000	GX9.5	Bi-Plane/clear	10




### Blue Pinch SE 230V-Quartz halogen lamps with unique pinch protection

- Lamp pinch can be operated at up to 500°C
- Enables a significant reduction of light centre length (LCL), or an increase in lamp power by up to 300 per cent with same LCL, compared with unprotected lamps
- Biplane filament
- Unique pinch protection

#### Application

- Studio and film lighting
- Stage and theatre lighting
- Disco and show lighting

Part Number	Type	Watt	Base	Bulb finish	Package (pcs/pack)
127862	6995I/BP	1000	GY9.5	clear	10



### PARcans SE 230V-Single-ended bi-pin quartz halogen lamps

- Biplane filament
- Precisely aligned grid-type filament assembly with critical tolerances
- Some types are for use with an external reflector; others have an internal proximity reflector for maximum light collection efficiency
- Prefocus base ensures exact lamp alignment within the optical system
- P3 technology for Reliability, Quality and Freedom

#### Application

- Overhead projectors
- PARcans

Part Number	Type	Watt	Base	Bulb finish	Package (pcs/pack)
127873	5968	500	GY9.5	reflector	10
127884	7804	900	GY9.5	reflector	10

