



Cable Ladders' Flat Bends with V rung, Mild Steel Hot Dip Galvanized
Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**


Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
101706	200	25	3	25x17.5
101717	250	25	3	25x17.5
101728	200	40	4	25x17.5
101739	250	40	4	25x17.5
101750	300	40	4	25x17.5
101761	350	40	4	25x17.5
101772	400	40	4	25x17.5
101783	450	40	4	25x17.5
101794	500	40	4	25x17.5
101805	100	40	5	35x17.5
101816	150	40	5	35x17.5
101827	200	40	5	35x17.5
101838	250	40	5	35x17.5
101849	300	40	5	35x17.5
101860	350	40	5	35x17.5
101871	400	40	5	35x17.5
101882	450	40	5	35x17.5
101893	500	40	5	35x17.5
101904	600	40	5	35x17.5
101915	100	50	5	35x17.5
101926	150	50	5	35x17.5
101937	200	50	5	35x17.5
101948	250	50	5	35x17.5
101959	300	50	5	35x17.5
101970	350	50	5	35x17.5
101981	400	50	5	35x17.5
101992	450	50	5	35x17.5
102003	500	50	5	35x17.5
102014	600	50	5	35x17.5

Notes:
***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Tees with V rung, Mild Steel Hot Dip Galvanized
Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102025	250	25	3	25x17.5
102036	250	40	4	25x17.5
102047	300	40	4	25x17.5
102058	350	40	4	25x17.5
102069	400	40	4	25x17.5
102080	450	40	4	25x17.5
102091	100	40	5	35x17.5
102102	150	40	5	35x17.5
102113	200	40	5	35x17.5
102124	250	40	5	35x17.5
102135	300	40	5	35x17.5
102146	350	40	5	35x17.5
102157	400	40	5	35x17.5
102168	450	40	5	35x17.5
102179	500	40	5	35x17.5
102190	600	40	5	35x17.5
102201	100	50	5	35x17.5
102212	150	50	5	35x17.5
102223	200	50	5	35x17.5
102234	250	50	5	35x17.5
102245	300	50	5	35x17.5
102256	350	50	5	35x17.5
102267	400	50	5	35x17.5
102278	450	50	5	35x17.5
102289	500	50	5	35x17.5
102300	600	50	5	35x17.5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Crossings with V rung, Mild Steel Hot Dip Galvanized
Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**


Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102311	250	25	3	25x17.5
102322	250	40	4	25x17.5
102333	300	40	4	25x17.5
102344	350	40	4	25x17.5
102355	400	40	4	25x17.5
102366	450	40	4	25x17.5
102377	100	40	5	35x17.5
102388	150	40	5	35x17.5
102399	200	40	5	35x17.5
102410	250	40	5	35x17.5
102421	300	40	5	35x17.5
102432	350	40	5	35x17.5
102443	400	40	5	35x17.5
102454	450	40	5	35x17.5
102465	500	40	5	35x17.5
102476	600	40	5	35x17.5
102487	100	50	5	35x17.5
102498	150	50	5	35x17.5
102509	200	50	5	35x17.5
102520	250	50	5	35x17.5
102531	300	50	5	35x17.5
102542	350	50	5	35x17.5
102553	400	50	5	35x17.5
102564	450	50	5	35x17.5
102575	500	50	5	35x17.5
102586	600	50	5	35x17.5

Notes:


***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Vertical Inside Risers with V rung
Mild Steel Hot Dip Galvanized

Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102597	250	25	3	25x17.5
102608	250	40	4	25x17.5
102619	300	40	4	25x17.5
102630	350	40	4	25x17.5
102641	400	40	4	25x17.5
102652	450	40	4	25x17.5
102663	100	40	5	35x17.5
102674	150	40	5	35x17.5
102685	200	40	5	35x17.5
102696	250	40	5	35x17.5
102707	300	40	5	35x17.5
102718	350	40	5	35x17.5
102729	400	40	5	35x17.5
102740	450	40	5	35x17.5
102751	500	40	5	35x17.5
102762	600	40	5	35x17.5
102773	100	50	5	35x17.5
102784	150	50	5	35x17.5
102795	200	50	5	35x17.5
102806	250	50	5	35x17.5
102817	300	50	5	35x17.5
102828	350	50	5	35x17.5
102839	400	50	5	35x17.5
102850	450	50	5	35x17.5
102861	500	50	5	35x17.5
102872	600	50	5	35x17.5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum


****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Ladders' Vertical Outside Risers with V rung

**Cable Ladders' Vertical Outside Risers with V rung
Mild Steel Hot Dip Galvanized**

Material: Mild Steel*
Finish: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)			Rung (WxH) mm
	Width (W)	Height (A)	Thickness	
102883	100	40	5	35x17.5
102894	150	40	5	35x17.5
102905	200	40	5	35x17.5
102916	250	40	5	35x17.5
102927	300	40	5	35x17.5
102938	350	40	5	35x17.5
102949	400	40	5	35x17.5
102960	450	40	5	35x17.5
102971	500	40	5	35x17.5
102982	600	40	5	35x17.5
102993	100	50	5	35x17.5
103004	150	50	5	35x17.5
103015	200	50	5	35x17.5
103026	250	50	5	35x17.5
103037	300	50	5	35x17.5
103048	350	50	5	35x17.5
103059	400	50	5	35x17.5
103070	450	50	5	35x17.5
103081	500	50	5	35x17.5
103092	600	50	5	35x17.5

Notes:


***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, Electrogalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material, finish & rung options available upon request (specific selections per product)

Cable Trays' Flat Bends, Mild Steel Hot Dip Galvanized


Material: Mild Steel*
Finsh: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)		
	Width (W)	Height (A)	Thickness
103103	70	15	1
103114	100	15	1
103125	120	15	1
103136	150	15	1.5
103147	200	15	1.5
103158	70	30	1.5
103169	100	30	1.5
103180	120	30	1.5
103191	250	15	2
103202	300	15	2
103213	400	15	2
103224	500	15	2
103235	600	15	2
103246	150	30	2
103257	200	30	2
103268	250	30	2
103279	300	30	2
103290	400	30	2
103301	500	30	2
103312	600	30	2

Cable Trays'/Ladders' Solid Covers, Mild Steel Hot Dip Galvanized


Material: Mild Steel*
Finsh: Hot dip galvanized (HDG,DIN 50976)**



Part Number	Dimensions (mm)		
	Width (W)	Height (A)	Thickness
103323	100	12	1
103334	150	12	1
103345	200	12	1
103356	250	12	1
103367	300	12	1
103378	400	12	1.2
103389	450	12	1.2
103400	500	12	1.2
103411	600	12	1.5
103422	750	12	1.5
103433	900	12	1.5

Perforated Bars, Mild Steel ElectroGalvanized


Material: Mild Steel*
Finsh: ElectroGalvanized**



Part Number	Dimensions (mm)		
	Width (W)	Thickness	Length
103444	30	3	2000
103455	40	4	2000
103466	30	5	3000
103477	40	5	3000

Perforated L-Channels, Mild Steel ElectroGalvanized

Material: Mild Steel*
Finsh: ElectroGalvanized**



Part Number	Dimensions (mm)		
	Width (W)	Thickness	Length
103488	30	2	2400
103499	40	2	3000
103510	30	3	3000
103521	40	3	3000
103532	50	3	2000
103543	30	4	3000
103554	40	4	3000

Splice Connectors, Mild Steel ElectroGalvanized

Material: Mild Steel*
Finsh: ElectroGalvanized**



Part Number	Dimensions (mm)		
	Width	Height	Thickness
103565	30	150	5
103576	40	150	5
103587	50	150	5

Notes:

***Material options:** Stainless steel AISI 304 (L) (A2) / AISI 316 (L) (A4), ST-37-42 Mild Steel, Corten A, Pregalvanized steel, Aluminum

****Finish options :** Hot Dip Galvanized to EN 1461, ElectroGalvanized to TS 149, Electrostatic Paint Coated, Prime coated

Material & finish options available upon request (specific selections per product)